

L Number	Hits	Search Text	DB	Time stamp
1	98	123/236.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:49
2	97	123/204.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:07
3	1	(rotary near5 (engine or engines)) and compression and expasion and (combustion or combustor) and (valve or valves)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:41
4	42	123/234.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:27
5	0	123/235.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:27
6	92	123/235.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:32
7	124	123/228.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:32
8	0	(rotary near5 (engine or engines)) and "compression chamber" and "expasion chamber" and "combustion chamber" and (valve or valves)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:02
9	0	(rotary near5 (engine or engines)) and "compression chamber" and "expasion chamber" and "combustion chamber"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:44
10	133	(rotary near5 (engine or engines)) and "compression chamber" and "expansion chamber" and "combustion chamber"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:44

11	101	(rotary near5 (engine or engines)) and "compression chamber" and "expansion chamber" and "combustion chamber" and (valve or valves)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:44
12	31	(rotary near5 (engine or engines)) and "compression chamber" and "expansion chamber" and "combustion chamber" and (valve or valves) and "fuel injector"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:44
13	1		USPAT	2004/02/05 14:45
14	1		USPAT	2004/02/05 14:46
15	1		USPAT	2004/02/05 14:47
16	1		USPAT	2004/02/05 14:47
17	82	123/231.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:55
18	1		USPAT	2004/02/05 14:50
19	1		USPAT	2004/02/05 14:50
20	1		USPAT	2004/02/05 14:50
21	1		USPAT	2004/02/05 14:50
22	1		USPAT	2004/02/05 14:50
23	1		USPAT	2004/02/05 14:50
24	1		USPAT	2004/02/05 14:51
25	1		USPAT	2004/02/05 14:51
26	1		USPAT	2004/02/05 14:51
27	1		USPAT	2004/02/05 14:51
28	70	123/232.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 14:58
29	23	123/233.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:00

30	92	123/235.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:00
31	2840	(rotary near5 (engine or engines)) and "combustion chamber" and (valve or valves)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:02
32	1098	(rotary near5 (engine or engines)) and "combustion chamber" and (valve or valves) and rotor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:03
33	577	(rotary near5 (engine or engines)) and "combustion chamber" and (valve or valves) and rotor and compression and expansion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:17
34	118	(rotary near5 (engine or engines)) and "combustion chamber" and (valve or valves) and rotor and compression and expansion and (intermittent or intermittently)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:06
35	83	"combustion chamber" and (valve or valves) and rotor and compression and expansion and "glow plug"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:18
36	28	"combustion chamber" and (valve or valves) and rotor and compression and expansion and ("glow plug" near5 "combustion chamber")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:18
37	22	"combustion chamber" and (valve or valves) and rotor and compression and expansion and ("glow plug" near3 "combustion chamber")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:18
38	23	"combustion chamber" and (valve or valves) and rotor and compression and expansion and (("glow plug" or "temperature sensor") near3 "combustion chamber")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:20
39	23	"combustion chamber" and (valve or valves) and rotor and compression and expansion and (("glow plug" or "temperature sensor") near3 "combustion chamber") and ("glow plug" or "temperature sensor")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:29
40	1	"combustion chamber" and (valve or valves) and rotor and compression and expansion and ("temperature sensor" near3 "combustion chamber") and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:31

41	7	(rotary near5 (engine or engines)) and "combustion chamber" and ("temperature sensor" near3 "combustion chamber") and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:33
42	285	(rotary near5 (engine or engines)) and "glow plug"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:33
43	25	(rotary near5 (engine or engines)) and "glow plug" and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:37
44	4	(123/200-249.ccls.) and ("glow plug" or ("glow plug" near3 combustion)) and ("temperature sensor" or ("temperature sensor" near3 combustion) or (sensor near3 combustion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:42
45	183	rotary and ("glow plug" or ("glow plug" near3 combustion)) and ("temperature sensor" or ("temperature sensor" near3 combustion) or (sensor near3 combustion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:43
46	67	(rotary near3 (engine or engines)) and ("glow plug" or ("glow plug" near3 combustion)) and ("temperature sensor" or ("temperature sensor" near3 combustion) or (sensor near3 combustion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:47
47	0	(rotary near3 (engine or engines)) and ("glow plug" or "glow plugs" or ("glow plug" near3 combustion) or ("glow plugs" near3 combustion)) and ("temperature sensor" or ("temperature sensor" near3 combustion) or (sensor near3 combustion)) and ("spark plug" or "spark plugs")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:49
49	0	(rotary near3 (engine or engines)) and ("glow plug" or "glow plugs" or ("glow plug" near3 combustion) or ("glow plugs" near3 combustion)) and ("temperature sensor" or ("temperature sensor" near3 combustion) or (sensor near3 combustion)) and "spark plug"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:49
50	0	("glow plug" or "glow plugs" or ("glow plug" near3 combustion) or ("glow plugs" near3 combustion)) and ("temperature sensor" or ("temperature sensor" near3 combustion) or (sensor near3 combustion)) and ("spark plug" or "spark plugs")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:49
48	75	(rotary near3 (engine or engines)) and ("glow plug" or "glow plugs" or ("glow plug" near3 combustion) or ("glow plugs" near3 combustion)) and ("temperature sensor" or ("temperature sensor" near3 combustion) or (sensor near3 combustion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:50

51	0	(rotary near3 (engine or engines)) and ("glow plug" or "glow plugs" or ("glow plug" near3 combustion) or ("glow plugs" near3 combustion)) and ("spark plug" or "spark plugs")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:50
52	197	(rotary near3 (engine or engines)) and ("glow plug" or "glow plugs") and ("spark plug" or "spark plugs")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:50
53	13	(rotary near3 (engine or engines)) and ("glow plug" or "glow plugs") and ("spark plug" or "spark plugs") and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 15:55
54	25	combustion and ("glow plug" or "glow plugs") and ("spark plug" or "spark plugs") and "temperature sensor" and (rotary or rotor or rotors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:00
55	3	123/237.ccls. and ("glow plug" or "glow plugs")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:11
56	5	123/231.ccls. and ("glow plug" or "glow plugs")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:04
57	6	123/231.ccls. and ("glow plug" or "glow plugs" or "glow device" or glow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:06
58	3	123/237.ccls. and ("glow plug" or "glow plugs" or "glow device" )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:07
59	5	123/236.ccls. and ("glow plug" or "glow plugs" or "glow device" )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:09
60	2	123/235.ccls. and ("glow plug" or "glow plugs" or "glow device" )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:10
61	1	123/234.ccls. and ("glow plug" or "glow plugs" or "glow device" )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:10

62	3	123/237.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:11
63	2	123/236.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
64	0	123/235.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
65	0	123/234.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
66	0	123/233.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
67	0	123/232.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
68	1	123/231.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
69	0	123/230.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
70	0	123/229.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
71	1	123/228.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12
72	0	123/227.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:12

73	0	123/226.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
74	0	123/225.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
75	0	123/224.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
76	0	123/223.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
77	0	123/222.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
78	0	123/221.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
79	0	123/220.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
80	0	123/219.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
81	0	123/218.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:13
82	2	123/217.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:14
83	4	123/216.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:14

84	0	123/215.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:14
85	1	123/214.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:14
86	0	123/213.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:15
87	1	123/212.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:15
88	1	123/211.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:15
89	0	123/210.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:15
90	0	123/209.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:15
91	0	123/208.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:15
92	2	123/207.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:16
93	5	123/206.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:17
94	6	123/205.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:18



95	0	60/39.38.ccls. and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:19
96	1	60/39.38.ccls. and glow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:19
98	2	123/200-249.ccls. and glow and "temperature sensor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:20
97	128	123/200-249.ccls. and glow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:20
99	95	(rotary near5 (engine or engines)) and (glow near5 combustion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:23
100	117	(rotary near5 (engine or engines)) and ((glow or "temperature sensor") near5 combustion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:23
101	66	(rotary near5 (engine or engines)) and ((glow or "temperature sensor") near3 combustion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:24
102	66	(rotary near5 (engine or engines)) and ((glow or "temperature sensor") near3 combustion) and (glow or "temperature")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 16:25